REFERENCE

1. Adamo SA. Estimating disease resistance in insects: phenoloxidase and lysozyme-like activity and disease resistance in the cricket *Gryllus texensis*. J. Insect Physiol. 50: 209-216, 2004a.

2. Andrade FG, Negreiro MCC, Cortez MM, Silva VB &Falleiros AMF (2003) Total and differential counting of the haemocytes in Anticarsia gemmatalis (Lepidoptera:Noctuidae) larvae introduced with Baculovirus anticarsia.Acta Microscopia 12 (Suppl.B): 407-408.

3. Ashutosh Mishra and Tiwari R.K. (2005) Fluctuation in total haemocyte count during postembryonic development of the red cotton bug: J. Exp. Zool , India 8:1:129-134.

4. Bailey NW, Zuk M. Changes in immune effort of male field crickets infested with mobile parasitoid larvae. J. Insect Physiol. 54: 96-104, 2008.

5. Begum R,Gohain R(1996) Detoxification of P-P'DDT by the haemocytes of the 5th instar *Philosamia ricini* Boisd, Journal of Environmental Biology 17,149- 155.

6. Bowers MD. 1991. Iridoid glycosides. Rosenthal GA, Berenbaum MR (eds), Herbivores: their interactions with secondary plant metabolites, Academic Press, New York, New York, USA, pp 297-326, 1991.

7. Bowers MD. Aposematic caterpillars: life-styles of the warningly colored and unpalatable. In: Stamp NE, Casey TM (eds), Caterpillars: ecological and evolutionary constraints on foraging, Chapman & Hall, New York, New York, pp 331-371, 1993.

8. Bowers MD. Hostplant suitability and defensive chemistry of the *Catalpa sphinx*, *Ceratomia catalpae*. J. Chem. Ecol. 29: 2359-2367, 2003.

9. Bowers MD. Recycling plant natural products for insect defense. In: Evans DL, Schmidt JO (eds), Insect defenses, SUNY Press, Albany, New York, USA, pp 353-386, 1990.

10. Bowers MD. The evolution of unpalatability and the cost of chemical defense in insects. In: Roitberg BD, Isman MB. (eds), Insect chemical ecology: an evolutionary approach, Chapman & Hall, New York, New York, pp 216-244, 1992.

11. Charalambidis D.N., Ffoukas C.L. Zwrvas G.C. and immune Response to Lipopolysaceharide (LPS) in ceratitis capitata. Insect Biochem. Molec. Biol., 26:867-874.

12. Chisholm, J. R S. and V. J. Smith. 1994. Variation of antibacterial activity in the hemocytes of the shore crab, *Carcinus maenas*, with temperature. J. Mar. Biol. Assoc. UK 74:979–982.

13. Delclos K.B., T.J. Bucci, L.G.Lomax, J.R.Latendresse, A. Warbritton, C.C. Weis, R.R.Newbold. Effects of dietary genistein exposure during development on male and female CD (Sprague-Dawley) rats. Reprod. Toxicol. 15 : 647–663, 2001.

14. Drif L. and Brechelin M. (1993). Insect immunity. Edited by J.P.N. pathak. Oxford and IBH Publishing co. Pvt. New Delhi, pp.1-12.

15. Elizabeth W., trenczek T., Larry W.T. and kanost M.R. (1994). Immunochemical identification of insect hemocytes type in Manduca sexta. European Journal of cell Biology, 65(2):417-423.

16. Gottstein N., B.A. Ewins, C. Eccleston, G.P. Hubbard, I.C. Kavanagh, A.M. Minihane, P.D. Weinberg, G. Rimbach: Effect of genistein and daidzein on platelet aggregation and monocyte and endothelial function. Br. J. Nutr. 89: 607–16, 2003.

17. H F Greeney L A Dyer, A M Smilanich (2012), Feeding by Lepidoteran is dangerous: A review of caterpillar's chemical physiological morphological, and behavioral defenses against natural enemies, ISJ,vol 9:,pp-7-34

18. Harvey JA, Van Nouhuys S, Biere A. Effects of quantitative variation in allelochemicals in *Plantago lanceolata* on development of a generalist and a specialist herbivore and their endoparasitoids. J. Chem. Ecol. 31: 287-302, 2005.

19. Josef Berger, Sylvia Walczysko, Jitka Pavkova,Herwig O. Gutzeit (2003) Effects of genistein on insect haemocytes, Journal of Applied Biomedicine, ISSN 1214-0287,pp 161-168.

20. Kurtz, J., 2002. Phagocytosis by invertebrate hemocytes: causes of individual variation in Panorpa vulgaris scorpionflies. Microscopic Research Techniques 15, 456–468.

21. Lavine, M.D., Strand, M.R., 2002. Insect hemocytes and their role in immunity. Insect Biochemistry and Molecular Biology 32, 1295–1309.

22. Martin R. Schmid,Axel Brockmann,Christian W.W. Pirk,David W. Stanly, Jurgen Tautz (2007), Adult honeybees (Apis mellifera L.) Abandon hemocytic, but not phenoloxidase-based immunity, Jourmal of insect physiology, vol.54, ISSN 0022-1910,pp.439-444.

23. Navanita Bhagawati and Rita Mahanta (2012), Changes in haemocyte count In haemolymph of different larval stages of eri silkworm on application of dimethoate, an organophosphorous pesticide, International Journal of Recent Scientific Research,vol.3,Issue,5 pp.396-399,

24. Park K.Y., K.O. Jung KO, S.H. Rhee, Y.H. Choi: Antimutagenic effects of doenjang (Korean fermented soypaste) and its active compounds. Mutat Res. 523–524:43–53, 2003.

25. Pathak J.P.N. (1993). Insect immunity, Oxford and IBH Publishing Co. Pvt. Ltd., New Delhi

26. R.K.Tiwari,R.S.Shukla,Ashutosh Mishra and D.P. Agarwal(1999).Effects of feeding Methoprene and 20-Hydroxyeedysone treatment on total haemocyte count in starved larvae of the lemon-butterfly, Papiliodemolens (Papilionidae; Lepidoptera).J.Exp.Zoo.India Vol.2 No.2 pp. 203-206.

27. Rolff, J., 2001b. Effects of age and gender on immune function of dragonflies (Odonata, Lestidae) from a wild population. Canadian Journal of Zoology 79, 2176–2180.

28. Schmid-Hempel, P., 2003. Variation in immune defence as a question of evolutionary ecology. Proceedings of the Royal Society of London B 270, 357–366.

29. Shu-sheng liu, Guang- Mei Zang, and Jun zhu(1995), Influence of temperature variation on rate of development in insects :analysis of case studies from Entomological Literature,Entomological Society of America. 88(2):107-119(1995)

30. Sonawane U.S. and More.N.(1993). The circulating hemocytes of the red bug, Cimex rotundatus (Sign.) (Heteroptera : Cimicidae). J. Anim. Morphol. Physiol. Vol.40, Nos.1 and 2, pp. 79-86.

31. Sujatha P.S. and Dutta Gupta A. (1991). Feeding and 20-Hydroxycedysone treatment reverse the effect of starvation on total haemocyte count in larval forms of Corcyra cephalonica (Lepidoptera). J.Stored Prod. Res., 27 : 245-247